CONTENTS
Vol. 33, No. 1, January 1993

Draxler, J. and Marr, R. 1 Design criteria for electrostatic deemulsifiers, *Chemie-Ingenieur-Technik* **62**, No. 7 (1990), Federal Republic of Germany

Schmidt, P. 8 Unconventional cyclone separators, *Chemie-Ingenieur-Technik* **62**, No. 7 (1990), Federal Republic of Germany.

Werther, J., Hartge, E.-U., and Rensner, D. 18 Measurement techniques for gas-solid fluidized-bed reactors, *Chemie-Ingenieur-Technik* **62**, No. 8 (1990), Federal Republic of Germany.

Schubert, H. 28 Instantization of powdered food products, *Chemie-Ingenieur-Technik* **62**, No. 11 (1990), Federal Republic of Germany.

Walzel, P. 46 Liquid atomization, *Chemie-Ingenieur-Technik* **62**, No. 12 (1990), Federal Republic of Germany.

Renken, A. 61 Transient operation for the purpose of modeling heterogeneous catalytic reactions, *Chemie-Ingenieur-Technik* **62**, No. 9 (1990), Federal Republic of Germany.

Yang, X. L., Wild, G., and Euzen, J. P. 72 Study of liquid retention in fixed-bed reactors with upward flow of gas and liquid, *Entropie* **25**, No. 150 (1989), France.

Rodriguez Sevilla, J. M., Liminana de la Fe, G., and Diaz Gonzalez, F. 85 Absorption of SO_2. Determination of mass transfer coefficients in a continuous stirred-tank reactor, *Anales de Quimica, Seria A, Quimica Fisica y Quimica Tecnica* **86**, No. 4 (1990), Spain.

Wronski, S. and Szembek-Stoeger, M. 93 Mass transfer from a granular fixed bed to a non-Newtonian fluid in the laminar flow-regime, *Inzynieria Chemiczna i Procesowa* **9**, No. 4 (1988), Poland.

Shimizu, K., Sayama, H., Kameyama, Y., and Suzuki, K. 103 Computation of multicomponent distillation processes by the Newton-Raphson method using an implicit function, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Kubo, Y. 113 Development and commercialization of hydrogenated nitrile rubber produced by selective hydrogenation, *Sekiyu Gakkaishi* **33**, No. 4 (1990), Japan.

Miura, H., Ansai, R., Mizushima, Y., Kurita, A., and Matsuda, T. 124 Synthesis of divinylbenzene by the dehydrogenation of diethylbenzene over iron-oxide-base mixed oxide catalysts, *Sekiyu Gakkaishi* **33**, No. 6 (1990), Japan.

Arai, M., Saito, K., and Altenkirch, R. A. 129 Flame propagation over a layer of crude oil floating on water, *Sekiyu Gakkaishi* **33**, No. 6 (1990), Japan.

Tsuge, A., Uwamino, Y., Ishizuka, T., and Suzuki, K. 136 Determination of mean-particle size by diffuse reflectance infrared transform spectrometry, *Funtai Kogaku Kaishi* **27**, No. 6 (1990), Japan.

CONTENTS
Vol. 33, No. 1, January 1993

Draxler, J. and Marr, R. 1 Design criteria for electrostatic deemulsifiers, *Chemie-Ingenieur-Technik* **62**, No. 7 (1990), Federal Republic of Germany

Schmidt, P. 8 Unconventional cyclone separators, *Chemie-Ingenieur-Technik* **62**, No. 7 (1990), Federal Republic of Germany.

Werther, J., Hartge, E.-U., and Rensner, D. 18 Measurement techniques for gas-solid fluidized-bed reactors, *Chemie-Ingenieur-Technik* **62**, No. 8 (1990), Federal Republic of Germany.

Schubert, H. 28 Instantization of powdered food products, *Chemie-Ingenieur-Technik* **62**, No. 11 (1990), Federal Republic of Germany.

Walzel, P. 46 Liquid atomization, *Chemie-Ingenieur-Technik* **62**, No. 12 (1990), Federal Republic of Germany.

Renken, A. 61 Transient operation for the purpose of modeling heterogeneous catalytic reactions, *Chemie-Ingenieur-Technik* **62**, No. 9 (1990), Federal Republic of Germany.

Yang, X. L., Wild, G., and Euzen, J. P. 72 Study of liquid retention in fixed-bed reactors with upward flow of gas and liquid, *Entropie* **25**, No. 150 (1989), France.

Rodriguez Sevilla, J. M., Liminana de la Fe, G., and Diaz Gonzalez, F. 85 Absorption of SO_2. Determination of mass transfer coefficients in a continuous stirred-tank reactor, *Anales de Quimica, Seria A, Quimica Fisica y Quimica Tecnica* **86**, No. 4 (1990), Spain.

Wronski, S. and Szembek-Stoeger, M. 93 Mass transfer from a granular fixed bed to a non-Newtonian fluid in the laminar flow-regime, *Inzynieria Chemiczna i Procesowa* **9**, No. 4 (1988), Poland.

Shimizu, K., Sayama, H., Kameyama, Y., and Suzuki, K. 103 Computation of multicomponent distillation processes by the Newton-Raphson method using an implicit function, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Kubo, Y. 113 Development and commercialization of hydrogenated nitrile rubber produced by selective hydrogenation, *Sekiyu Gakkaishi* **33**, No. 4 (1990), Japan.

Miura, H., Ansai, R., Mizushima, Y., Kurita, A., and Matsuda, T. 124 Synthesis of divinylbenzene by the dehydrogenation of diethylbenzene over iron-oxide-base mixed oxide catalysts, *Sekiyu Gakkaishi* **33**, No. 6 (1990), Japan.

Arai, M., Saito, K., and Altenkirch, R. A. 129 Flame propagation over a layer of crude oil floating on water, *Sekiyu Gakkaishi* **33**, No. 6 (1990), Japan.

Tsuge, A., Uwamino, Y., Ishizuka, T., and Suzuki, K. 136 Determination of mean-particle size by diffuse reflectance infrared transform spectrometry, *Funtai Kogaku Kaishi* **27**, No. 6 (1990), Japan.

Samata, M. 141 A model for evaluating the error associated with anisokinetic sampling in the measurement of particle concentrations in dusts emitted from stacks, *Funtai Kogaku Kaishi* 27, No. 7 (1990), Japan.

Fan, X., Tan, S., Fan, Y., and Wu, J. 148 Numerical study of dumbbell molecular models for polymeric solutions, *Huagong Xuebao* 40, No. 1 (1989), People's Republic of China.

156 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 33, No. 2, April 1993

Görner, K. and Dietz, U. 165 Calculations of radiative exchange by the Monte-Carlo method. Theory and applications to industrial combustion systems, *Chemie-Ingenieur-Technik 62*, No. 1 (1990), Federal Republic of Germany.

Berthold, W. and Löffler, U. 178 Safety characteristics and their significance for the design and operation of chemical plants, *Chemie-Ingenieur-Technik* 62, No. 2 (1990), Federal Republic of Germany.

Zeck, S. 184 The effects of thermodynamic data on the design and operation of distillation columns, *Chemie-Ingenieur-Technik* 62, No. 9 (1990), Federal Republic of Germany.

Munsch, M., Mohr, T., and Futterer, E. 197 Analysis of exergy and evaluation of process plants with a flowsheeting system, *Chemie-Ingenieur-Technik* 62, No. 12 (1990), Federal Republic of Germany.

Douss, N. 207 Experimental study of adsorption-heat-pump cycles, *Entropy* 26, No. 156 (1990), France.

Benezech, T. and Maingonnat, J.F. 215 Study of residence-time distribution of non-Newtonian fluids in scraped-surface heat exchangers, *Entropie* 25, No. 151 (1989), France.

Chapat, C. and Depeyre, D. 226 Industrial process control in distillation—research and development, *Entropie* 25, No. 151 (1989), France.

Boisdé, G. 237 Chemical fiber-optic sensors: the current status and prospects, *Entropie* 26, No. 155 (1990), France.

Labidi, J., Lasalle, A., Jeday, M., and LeGoff, P. 255 Thermotransformers operating by reserve rectification, *Entropie* 17, Nos. 164/165 (1991), France.

Nitta, T., Ikeda, K., and Katayama, T. 257 Calculation of solid-fluid phase equilibria and three-dimensional phase diagrams for binary systems of naphthalene and supercritical fluids, *Kagaku Kogaku Ronbunshu* 16, No. 4 (1990), Japan.

Ogino, F., Zhang, L., and Maehashi, Y. **265** Minimum rate of spouting and peak pressure-drop in a spouted bed, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Kimura, T. and Kojima, T. **273** Evaluation of the contribution of the grid zone in the production of polycrystalline silicon from monosilane in a fluidized-bed-CVD-SiH_4-Ar system, *Kagaku Kogaku Ronbunshu* **17**, No. 1 (1991), Japan.

Sudoh, M., Mukouyama, T., Katsumata, M., Aoyanagi, H., and Nakano, Y. **280** Permeation transport properties of oxygen, hydrogen peroxide, and glucose through membrane supports for glucose sensors, *Kagaku Kogaku Ronbunshu* **17**, No. 1 (1991), Japan.

Kunugita, E., Nishitani, H., and Wan, Y.-C. **288** Dynamic simulation of a fuel-cell power plant, *Kagaku Kogaku Ronbunshu* **16**, No. 4 (1990), Japan.

Nishitani, H., Kunugita, E., Wan, Y.-C., and Kujime, M. **298** Dynamic simulation of large systems, *Kagaku Kogaku Ronbunshu* **17**, No. 1 (1991), Japan.

Saito, N., Ikushima, Y., Hatakeda, K., Ito, S., Asano, T., and Goto, T. **307** Fractional extraction of rice-bran oil and its esters with supercritical carbon dioxide, *Nippon Nogei Kagaku Kaishi* **65**, No. 2 (1991), Japan.

Honma, S. **315** A study of the seepage resistance of suspension-type grouts in soils, *Tokai Daigaku Kiyo, Kogakubu* **30**, No. 1 (1990), Japan.

Macskási, L. **326** Application of rheological data of polyolefin melts for the prediction of process parameters in extrusion, *Periodica Polytechnica* **15**, Nos. 1–2 (1991), Hungary.

Brauer, H. **332** Development and testing of a device for the mechanical destruction of foam, *Inzynieria Chemiczna i Procesowa* **11**, No. 1 (1990), Poland/Federal Republic of Germany.

348 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 33, No. 3, July 1993

Krause, S. **355** Fouling of heat-transfer surfaces by crystallization and sedimentation, *VDI-Forschungsheft* **637** (1986), Federal Republic of Germany

Brauer, H. **402** Air-pollution control in large cities, *Staub—Reinhaltung der Luft* **44**, No. 2 (1984), Federal Republic of Germany.

Marr, R. and Koncar, M. **416** Recovery of ammonia from industrial wastewater, *Chemie-Ingenieur-Technik* **62**, No. 3 (1990), Federal Republic of Germany/Austria.

Muschelknautz, E. 426 Determination of particle-size distribution of fine and very fine dusts by centrifugal sedimentation balances, *Inzynieria Chemiczna i Procesowa* 11, No. 1 (1990), Poland/ Federal Republic of Germany.

Koziol, A. and Maćkowiak, J. 439 Determination of equilibrium data for sulfur dioxide-water systems in the range of low concentrations of SO_2, *Inzynieria Chemiczna i Procesowa* 11, No. 1 (1990), Poland.

Gonzalez Tello, P., Camacho Rubio, F., Jurado Alameda, E., and Sanchez Rodriguez, R. 450 Kinetics of the hydrolysis of soluble starch by glucoamylase, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* 86, No. 7 (1990), Spain.

Garcia-Ochoa, F., Romero, A., and Villar, J. C. 456 Segregation in gas-fluidized beds; mixing index for solids of type D, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* 86, No. 5 (1990), Spain.

Mato, R. B., Mato, F. A., and Mato, F. 460 Behavior of a generalized model for the representation of phase equilibria of binary systems, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* 85, No. 3 (1989), Spain.

Néel, L., Bailly, M., and Tondeur, D. 467 Effects of flow conditions, changing in time and in space, on the plate efficiency of distillation and absorption columns, *Entropie* 26, Nos. 157/158 (1990), France.

Lahbabi, F. Z., Nuglish, H. J., Couteau, G., and Charnay, G. 481 Physical modeling of the flow downstream of the butterfly valve of a carburator, *Entropie* 27, No. 162 (1991), France.

Pavlova, A.., Ivanova, R., and Milina, R. 492 Methods for determining an antioxidant in jet fuels, *Izvestiya po Khimiya, Bulgarska Akademiya na Naukite* 24, No. 2 (1991), Bulgaria.

Ito, R., Inoue, Y., and Hayamizu, M. 497 Design of a photochemical converter for solar energy using semiconductor electrodes, *Kagaku Kogaku Ronbunshu* 16, No. 4 (1990), Japan.

Kaminoyama, M., Saito, F., and Kamiwano, K. 506 Numerical analysis of mixing processes for high-viscosity pseudoplastic liquids in mixers with various plate-type impellers, *Kagaku Kogaku Ronbunshu* 16, No. 4 (1990), Japan.

Kutsuwa, K., Ohga, M., Matsuyama, H., Kodama, A., and Ogawa, M. 516 Scheduling of operation of storage tanks in chemical plants, *Kagaku Kogaku Ronbunshu* 16, No. 5 (1991), Japan.

Toyohara, H. and Kawamura, Y. 525 Circulation of particles in the side regions of a tapered fluidized bed, *Kagaku Kogaku Ronbunshu* 17, No. 1 (1991), Japan.

Jeon, J.-Y., Song, Y.-M., Kim, H. Y., and Yoon, P. 531 Selective particle withdrawal from a steady-state fluidized bed with a particle-size distribution, *Hwahak Konghak* 26, No. 4 (1988), Republic of Korea.

Cho, I. H., and Yoon, E. S. 538 A new strategy in the optimal design of a distillation column, using a two-tier approach, *Hwahak Konghak* 27, No. 3 (1989), Republic of Korea.

Li, Z., Liu, G., and Huang, H. **546** Characteristics of flow-boiling heat transfer in an annulus, *Huagong Zuebao* **41**, No. 5 (1990), People's Republic of China.

551 International Schedule of Chemical Engineering Meetings.

CONTENTS
Vol. 33, No. 4, October 1993

Schuler, H. and Schmidt, Ch.-U. **559** Model-based measurement techniques in chemical reactor applications, *Chemie-Ingenieur-Technik* **63**, No. 3 (1991), Federal Republic of Germany.

Simmrock, H. H., Fried, A., and Welker, R. **577** Expert system for the design of separation sequences for close-boiling and azeotropic mixtures, *Chemie-Ingenieur-Technik* **63**, No. 6 (1991), Federal Republic of Germany.

Berger, R. and Wagner, H. Gg. **591** Retarding of polystyrene diffusional flames—analytical results, *Chemie-Ingenieur-Technik* **63**, No. 6 (1991), Federal Republic of Germany.

Eckelmann, W. and Schuler, H. **593** Contributions of process control to quality assurance in chemical production, *Chemie-Ingenieur-Technik* **64**, No. 2 (1992), Federal Republic of Germany.

Desplanches, H., Bruxelmane, M., and Chevalier, J.-L. **603** Heat transfer between a coil and a stirred Newtonian solution in the transitional regime—characteristic groups, predictive methods, and criteria for extrapolation, *Entropie* **26**, No. 156 (1990), France.

Lallemand, M. **615** Pool boiling, *Entropie* **27**, No. 160 (1981), France.

Garcia-Ochoa, F., Romero, A., Santos, V. E., and Rodriguez, C. **634** Studies of the use of the differential method in the determination of kinetic models for complex reactions, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **85**, No. 3 (1989), Spain.

Vasquez, G., Antorrena, G., Navaza, J. M., Santos, V., and Rodriguez, T. **649** Absorption of CO_2 in aqueous solutions of various viscosities in the presence of induced turbulence, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **86**, No. 4 (1990), Spain.

Adanez, J. and de Diego, L. F. **656** Reactivity of lignite chars with CO_2: influence of the mineral matter, *Anales de Quimica, Serie A, Quimica Fisica y Quimica Tecnica* **86**, No. 5 (1990), Spain.

Koga, J., Yamada, H., Suzuki, E., Takeuchi, K., and Matsumoto, S. **663** Numerical simulation of flow in a low pressure impactor and particle-separation efficiency, *Kagaku Kogaku Ronbunshu* **17**, No. 1 (1991), Japan.

Gujima, F., Shibata, B., Tsuge, Y., Shiozaki, J., Matsuyama, H., and O'Shima, E. **671** Improvement of the accuracy of fault-diagnosis systems, using signed directed graphs, *Kagaku Kogaku Robunshu* **16**, No. 5 (1990), Japan.

Miyahara, T., Lee, M.-S., and Takahashi, T. 680 Mass transfer characteristics of a three-phase fluidized bed containing low-density and/or small particles, *Kagaku Kogaku Ronbunshu* **16**, No. 6 (1990), Japan.

Iritani, E., Watanabe, T., and Murase, T 687 Upward, inclined ultrafiltration under constant pressure using a dead-end filter, *Kagaku Kogaku Ronbunshu* **17**, No. 1 (1991), Japan.

Shi, G., Yu, X., and Yuan, Q. 691 Hollow-fiber membrane reactor under backflush mode for penicillin hydrolysis, *Huagong Xuebao* **41**, No. 6 (1990), People's Republic of China.

698 Index of authors, Vol. 33, Nos. 1, 2, 3, and 4 (1993).

702 Contents, Vol. 33, Nos. 1, 2, 3, and 4 (1993).

708 International Schedule of Chemical Engineering Meetings.